ACCOUNTING PRECEDENCE TYPE MEG (Check) ROOK MULTI RINGLE ACCOUNTING ACCOUNTING PRECEDENCE TYPE MEG (Check) ROOK MULTI RINGLE ACCOUNTING ROUTINE SPECIAL INSTRUCTION ACCOUNTING ACCOUNTING ACCOUNTING ACCOUNTING ACCOUNTING SPECIAL INSTRUCTION ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED TR OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE THIS INSPECTION WILL BE MADE AND ACCOUNTING CO OPS ACCOUNTING CO OPS ACCOUNTING OVER SECURITY OF THE OPERATION WILL BE EXERCISED TR ACCOUNTING CO OPS ACCOUNTING OVER SECURITY OF THE OPERATION WILL BE EXERCISED TR ACCOUNTING OPERATOR ACCOUNTING OVER SECURITY OF THE OPERATION WILL BE EXERCISED TR ACCOUNTING OPERATOR OPERATOR OPERATOR ACCOUNTING ONLY OF REFERE TO CLASSIFICATION OPERATOR OPERATOR ACCOUNTING OF REFERE TO OPERATOR		OINT MESSAGEF				ბ იი ქსიი10023-2 E T 242141Z	
PRECEDENCE TYPE MSG (Check) ACCOUNTING APPECIAL INSTRUCTION ANNEX G TO OPORD 2-64 SECURITY I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE THIS INSPECTION WILL BE MADE AND: THE THIS INSPECTION WILL BE MADE AND: THE THIS INSPECTION WILL BE MADE AND: ACCOUNTING ORIGINAL FLIGHT, ACCOUNTING CO LOWER CO LOWER ACCOUNTING ORIGINAL INSTRUCTION ACCOUNTING ORIGINAL INSTRUCTION ACCOUNTING OPERATION THE THIS INSPECTION WILL BE MADE AND: ACCOUNTING ORIGINAL FLIGHT, ACCOUNTING OPERATION ACCOUNTING ORIGINAL FLIGHT ACCOUNTING OPERATION ACCOUNTING ORIGINAL FLIGHT ACCOUNTING OPERATION OPERATION ACCOUNTING OPERATION OPE		SPA	CE BELOW RESERV	ED FOR CO		The second secon	
ANNEX G TO OPORD 2-64 SECURITY I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED OPEN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED TO OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, FOM ELC. STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THIS INSPECTION WILL BE MADE ATSP:	24 APR	64			IN Ø69.	16	
ANNEX G TO OPORD 2-64 SECURITY I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXINUM STERILITY COMPATIBLE THIS INSPECTION WILL BE MADE ATSP:	PF	ECEBENCE	TYPE MSG /	Check)	ACCOUNTING	ORIG OR REFERS TO	CLASSIFICATI
ANNEX G TO OPORD 2-64 SECURITY I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED OPEN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO LACCORDANCE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED TO OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, ACCORDANCE THE SECURITY OF THE OPERATIONAL FLIGHT, ACCORDANCE THE THE THIS INSPECTION WILL BE MADE ATTPLED.	ACTION			·			OF REFERENC
ANNEX G TO OPORD 2-64 SECURITY I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED OPS IN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE	ROUT	INE -	TO SERVICE MEMORY MEMORY CONTROL OF THE PROPERTY OF THE PROPER		and the second s	SPECI	AL INSTRUCTIO
ANNEX G TO OPORD 2-64 SECURITY I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED OPS IN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED TR OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, OF THE OPERATIONAL FLIGHT, OPERATIONAL FLIGHT, OPERATIONAL FLIGHT, OPERATIONAL FLIGHT, OPERATIONAL FLIGHT, OPERATIONAL FLIGHT, OPERATION OF THE OPERATION OPER							
ANNEX G TO OPORD 2-64 SECURITY I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED OPS IN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE	10.			advant an incampagnish i indones at		and the same of th	
I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED IN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, FIGURE STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE SUSP:	10:						
I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED IN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, FIG. STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE SUSP:							
I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED IN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, FIGURE STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE SUSP:							
I. THE SECURITY OF THE OPERATION WILL BE IMPLEMENTED IN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, FIG. STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WILL THE THIS INSPECTION WILL BE MADE SUSP:	ANNEX A	TO OPORD 2-64					
IN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE AUSPE.	nesten u	TO OF OUR STOR					
IN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED TR OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, ACC. STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THIS INSPECTION WILL BE MADE AUSP:	SECURITY					, r	
IN ACCORDANCE WITH PREVIOUSLY ESTABLISHED PROJECT STANDARDS. A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED TR OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, ACC. STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THIS INSPECTION WILL BE MADE AUSP:		CARD AND PLANE STATE OF THE BAD AND	gas agregoran extra grown	A T T (3.25	METER TORM	TADE EMENTED	co 1.495/
A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE AUSP:	T • 1	HE SECURITY O	F THE OPER	ATIUN	WILL BE	IMPLEMENTED	
A. AVAILABLE HANGAR FACILITIES WILL BE UTILIZED TO HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, AND OF THE STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE ATSP:	IN ACCOR	DANCE WITH PR	EVIOUSLY E	STABL	ISHED PRO	JECT STANDARDS	MAT
HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED TRESPONDED TO THE OPERATIONAL FLIGHT, AND ARCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WILL STAFF SECURITY OF THE MAXIMUM STERILITY COMPATIBLE WILLS THE THIS INSPECTION WILL BE MADE AUSPEN	2.0 0000	Orthod Radio 131					
HOUSE THE AIRCRAFT AND CONTINUOUS CONTROL WILL BE EXERCISED TRESHOLD OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, ADDITIONAL THE SECURITY OF THE OPERATION OF THE STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE STAFF AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WILL THE SUSPECTION WILL BE MADE AT STEEL THE SUSPECTION WILL BE MADE A	A.	AVAILABLE HA	NGAR FACIL	ITIES	WILL BE	UTILIZED TO	
OVER FUEL, CLASSIFED SPECIAL EQUIPMENT AND DOCUMENTS. B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, A COMMENTAL STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE AUSP:	Dollar Ti	ም ቀየኮሎኮለም ለነ	a continue	we an	NTOOL SET	OF EVERATOES	The same and the s
B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE THE THIS INSPECTION WILL BE MADE AUSP:	MOUSE IF	e alkukari an	D CONTINGO	005 00	WINGT MIT	L BE EXECUTED.	SYC
B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT, A COM- STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE ATSP:	OVER FUE	L. CLASSIFED	SPECIAL EG	UIPME	NT AND DO	CUMENTS.	
B. TO INSURE THE SECURITY OF THE OPERATIONAL FLIGHT. STAFF SECURITY OFFICER WILL CONDUCT A FINAL INSPECTION OF THE PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE AUSP:		,					-
PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE AT SPECIAL STREET.	8.	TO INSURE TH	E SECURITY	OFT	HE OPERAT	IONAL FLIGHT,	
PILOT AND AIRCRAFT TO INSURE MAXIMUM STERILITY COMPATIBLE WITH THE THIS INSPECTION WILL BE MADE AT SPECIAL STREET.		CURITY OFFICE	R WILL CON	IDHCT	A FINAL T	NSPECTION OF T	(ED)
THE THIS INSPECTION WILL BE MADE AUSP:	STARE SE		A A ZEE OO!				
5051.						[7 15 7 1 11
0001.			INSURE MA	MUMIXA	STERILIT	Y COMPATIBLE W	7 15 7 1 11
THE TIME THE AIRCRAFT LEAVES THE STAGING AREA ON MISSION.	PILOT A						iity
	PILOT A						iity

DD FORM 173

REPLACES DD FORM 173, 1 OCT. 49, WHICH WILL BE USED UNTIL EXHAUSTED

25X1A

25X1A

25X1C

25X1A

25X1A

	NT MESAGGEMOR GENERALIZATION SHEET: CHA-RDP92B00048R000100010023-2
	
Marie of Theorem 1	D. IDEALIST BRIEFINGS WILL BE KEPT TO A MINIMUM AND
WI1	L BE RESTRICTED TO THOSE WHO HAVE AN ACTUAL "NEED TO KNOW".
JUS	STIFICATION FOR THE CLEARANCES WILL BE DETERMINED AT HEADQUARTERS.
	E. THE SENIOR SECURITY OFFICER WILL BRIEF SUPPORT AIR
CRI	EWS TO THE EXTENT THAT THEY MAY BE RECIPIENTS OF INFORMATION
	MEMORANDUM OF UNDERSTANDING
STA	ATEMENTS WILL BE EXECUTED BY THE SUPPORT CREWS.
	F. UPON TERMINATION OF DUTIES OF SUPPORT CREWS THEY WILL
BE	DEBRIEFED AND TERMINATION UNDERSTANDING STATEMENTS EXECUTED.
	G. SECURITY WILL PROVIDE SUFFICIENT GUARD COVERAGE
ТО	INSURE THE EXTERNAL SECURITY OF THE BRIEFING AREA DURING ALL
BR I	TEFING SESSIONS. THE SENIOR SECURITY OFFICER WILL ATTEND ALL
PRE	E-MISSION BRIEFINGS TO BE FULLY COGNIZANT OF ANY SIGNIFICANT
FAC	TORS THAT MIGHT REQUIRE SUBSEQUENT SECURITY SUPPORT.
	H. ALL DEPLOYMENT PERSONNEL WILL CONTINUE TO MAINTAIN
A F	IIGH STANDARD OF PERSONAL CONDUCT.
	I. THE SENIOR SECURITY OFFICER AT THE SITE WILL INSURE
THE	PROPER DESTRUCTION OF ALL CLASSIFIED WASTE AND THE STERILITY
	THE OPERATIONAL SITE AT THE TERMINATION OF THE STABING.
	J. THE SECURITY CONTINGENT WILL PROVIDE COURIER SUPPORT
AND	IS RESPONSIBLE FOR THE SECURE MOVEMENT OF EQUIPMENT AND THE
	VEMENT OF THE MISSION TAKE FROM THE DETACHMENT TO THE PROCESSING
	INT OR A POINT DESIGNATED BY HEADQUARTERS. ADDITIONAL SUPPORT
	THIS REGARD WILL BE PROVIDED BY HEADQUARTERS OR AS 25X
ENEC	FAGE NR OF SECURITY CLASSIFICATION INITIALS
	NR PAGES SECURITY CLASSIFICATION INITIALS

25X1Å

25X1A

JOINT MEASAGERGAN O COMPANA Y	[014/SHET]: CIA-RDP99日1006481R000100010023-2	
FROM		
K. SECURITY ESCORT	F WILL BE PROVIDED FOR ALL UNCLEARED	
INDIVIDUALS WHENEVER IT RESTRICTED AREAS.	BECOMES NECESSARY THAT THEY ENTER	
	Y OFFICER WILL MONITOR AND INSURE	
CONFORMITY CUSTOMS, IMM	IGRATION, BORDER CLEARANCE PROCEDURES	•
DOCUMENTATION AND OTHER	MATTERS CONCERNING	
II. PERSONNEL CAN RENDER ASSISTANCE IF	LISTED BELOW CLEARED IDEALIST AND	
FOLLOWING PERSONNEL NOT	CLEARED INFALIGE UNITED DW	
	CLEARED IDEALIST UNLESS INDICATED BY	
	ED TO RENDER EHERGENCY ASSISTANCE.	ALL ITH
ASTERISK BUT MAY BE CALL	ED TO RENDER EHERGENCY ASSISTANCE.	ALL ITH
ASTERISK BUT MAY BE CALL CABLES DIRECTED TO THEM AS INFO ADDRESSEE.	LED TO RENDER EHERGENCY ASSISTANCE.	ALL ITH
ASTERISK BUT MAY BE CALL CABLES DIRECTED TO THEMAS INFO ADDRESSEE. "OPERATIONIS	LED TO RENDER EHERGENCY ASSISTANCE. SHOULD BE SLUGGED W FOLLOWING PARAGRAPH WHOULD BE INSERT	ALL ITH TED
ASTERISK BUT MAY BE CALL CABLES DIRECTED TO THEMAS INFO ADDRESSEE. "OPERATIONIS	ED TO RENDER EMERGENCY ASSISTANCE. SHOULD BE SLUGGED W FOLLOWING PARAGRAPH WHOULD BE INSERT EXTREMELY SENSITIVE AIR OP	ALL ITH TED
ASTERISK BUT MAY BE CALL CABLES DIRECTED TO THEM AS INFO ADDRESSEE. "OPERATION IS WITH RIGID HOLDOWN. FUL	ED TO RENDER EMERGENCY ASSISTANCE. SHOULD BE SLUGGED W FOLLOWING PARAGRAPH WHOULD BE INSERT EXTREMELY SENSITIVE AIR OP	ALL ITH TED
ASTERISK BUT MAY BE CALL CABLES DIRECTED TO THEM AS INFO ADDRESSEE. "OPERATION IS WITH RIGID HOLDOWN. FUL	ED TO RENDER EMERGENCY ASSISTANCE. SHOULD BE SLUGGED W FOLLOWING PARAGRAPH WHOULD BE INSERT EXTREMELY SENSITIVE AIR OP	ALL ITH TED

ά U. S. GOVERNMENT PRINTING OFFICE: 1961-596655